



Daily Current Affairs Encyclopedia

20 July 2024

Maharashtra State Specific News

Sanjay Gandhi National **Park**

Why in the news?

 At Least 20 Rescued From Raging Floodwaters by Forming Human Chain at Sanjay Gandhi National Park.

About Sanjay Gandhi National Park:

- Location: Northern part of Mumbai, Maharashtra.
- Establishment: Originally known as Krishnagiri National Park, it was established in 1969 and later renamed Sanjay Gandhi National Park in 1981.
- Attractions:
 - Kanheri Caves: Ancient Buddhist caves dating back to the 1st century BC, with rock-cut architecture and sculptures.

Mouse-deer

Why in the news?

About Mouse-deer:

• An injured **mouse-deer** was rescued from Chirle village by the Uran forest department in Navi Mumbai.

BIG LOSS OF SMALL UNGULATE



population status

ZOO STINT

Oct 29 | Six mouse deer three male and three female, arrive in the city zoo

Dec 15 | Put on display

around one year dies of enteric disease

Dec 19 | One female aged

A female mouse deer had died of enteric disease on Tuesday. It

was suffering from last

> A mouse deer, also known as Indian Chevrotain, is the country's smallest descendant of ungulate

Population status

The KalakadMundanthurai Tiger
Reserve at the extreme
south of the Western Ghats
is one of the best localities It has a poorly-known

Other habitats | Perivar Tiger Reserve, Indira Gandhi Wildlife Sanctuary, Silent Valley, Mudumalai-Bandipur-Nagarahole, Bhadra and Kudremukh

 Recently, a mouse deer was sighted in Chhattisgarh's Gariyaband after more than Reports say that there's a

Threats | Hunting for meat Protection status | Schedule I of Wildlife Protection Act

Scientific Name: Chevrotain

Family: Tragulidae

IUCN status: Least Concern

Appearance:

- Small, deer-like body
- Typically brown with white markings
- Slender legs and a short tail
- Species:
 - Greater Mouse-deer (Tragulus napu)
 - Lesser Mouse-deer (Tragulus kanchil)
 - Water Chevrotain (Hyemoschus aquaticus)
- Habitat:
 - Found in dense tropical forests
 - Prefer areas near water sources
 - Native to Southeast Asia, India, and parts of Africa





Daily Current Affairs Encyclopedia

o Cubs: Born blind and hairless, they stay with the mother for up

	Behavior:
	 Mostly nocturnal and shy
	 Solitary or in pairs
	 Excellent swimmers
	 Use dense vegetation for cover
	Diet:
	 Herbivorous
	 Eat leaves, fruits, and other plant materials
	 Sometimes consume fungi
	Reproduction:
	 Breeding can occur year-round
	 Typically give birth to one or two offspring
	 Gestation period of about 140-177 days
Sloth bears	Why in the news?
	 Two sloth bears were found dead in Yavatmal, Maharashtra.
	About Sloth bears:
	Scientific Name: Melursus ursinus
	 Common Names: Sloth bear, labiated bear
	Family: Ursidae
	 Conservation Status: Vulnerable (IUCN Red List)
	Habitat: Tropical and subtropical forests, grasslands, and scrublands
	in the Indian subcontinent
	Geographic Range: India, Nepal, Bhutan, Sri Lanka, and Bangladesh
	Diet: Omnivorous; primarily feeds on termites, ants, honey, fruits, and
	flowers
	Behavior:
	 Nocturnal: Mostly active during the night
	 Climbing: Excellent climbers; often found in trees
	 Social Structure: Generally solitary except for mothers with
	cubs or during mating season
	Reproduction:
	 Breeding Season: June to August
	 Gestation Period: About 6-7 months
	○ Litter Size: 1-3 cubs

to two years





Daily Current Affairs Encyclopedia

Copyright © by Adda247

All rights are reserved. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior permission of Adda247.