



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA



(SCHEDULE – 'A' MINI RATNA- CATEGORY- 1 PUBLIC SECTOR ENTERPRISES)

राजीव गांधी भवन, सफदरजंग हवाई अड्डा, नईदिल्ली- 110003 RAJIV GANDHI BHAWAN, SAFDARJUNG AIRPORT, NEW DELHI-110003

Participant ID		
Participant Name		
Test Center Name	iON Digital Zone iDZ 2 Sector 62	
Test Date	27/07/2022	
Test Time	8:30 AM - 10:30 AM	
Subject	Junior Executive(ATC)	

Section: English Language

Q.1 Select the most appropriate ANTONYM of the underlined word.

The police found that the victim was hit with a blunt weapon by the murderer.

Ans

1. Sharp

X 2. Curved

X 3. Wild

X 4. Dull

Adda 247

Question ID : 63068067218 Status : Answered Chosen Option : 1

Q.2 Select the most appropriate option to fill in the blank. I urged Seema to _____ in touch with me regularly.

Ans


X 1. come

X 2. go

3. keep


🗙 4. take


Question ID: 63068050770 Status: Answered



Q.7	.7 Select the most appropriate preposition to fill in the blank.		
	Most teenagers like Harry Potter, but my opinion, it is too childish.		
Ans	s 🚀 1. in		
	★ 2. of		
	✗ 3. on		
	★ 4. for		
		0 11 15 40040047000	
		Question ID : 63068047982 Status : Answered	
		Chosen Option : 1	
Q.8	Select the most appropriate article to fill in the blank. During the fight, he was injured in arm.		
Ans	ns X 1. No article		
	🗶 2. an		
	X 4. a		
		Question ID : 63068051206	
		Status : Answered	
		Chosen Option : 3	
Ans	Parts of a sentence are given below in jumbled order. Identify the option parts in the correct order to form a meaningful sentence (a) Many people (b) like to spend(c) as they provide (d) in the villages (e) their retired lives (f) fresh air 1. adcebf 2. acdebf 4. abedcf	Question ID: 63068053929 Status: Answered Chosen Option: 4	
Q.10	Select the most appropriate option to fill in the blank. What did you have for lunch?		
Ans	★ 1. the		
	X 2. an		
	X 3. a		
	✓ 4. No article required		
		Question ID : 63068050226	
		Status : Answered	
		Chosen Option : 1	


Q.11 Of the four sentences given in the options, three form a meaningful paragraph. Identify the odd one out. Ans X 1. Surging prices of vegetables, fruits, dairy, etc. is a matter of concern. 2. Organic food is in high demand as it ensures a positive effect on general health. 3. This is simply related to the cost of production and transportation. 4. However, if we buy local produces, the burden can be lessened. Question ID: 63068085919 Status: Answered Chosen Option: 2 Q.12 Select the option that gives the most appropriate meaning of the underlined word. She used her position as a minister to pervert the course of justice. X 1. To lead properly X 2. To correct 3. To turn away X 4. To facilitate Question ID: 63068050284 Status: Answered Chosen Option: 3 Q.13 Select the option that expresses the given sentence in progressive present tense form. Micro, Small and Medium Enterprises (MSMEs) face challenges when it comes to adopting new technologies such as Industry 4.0. X 1. Micro, Small and Medium Enterprises (MSMEs) has faced challenges when it comes Ans to adopting new technologies such as Industry 4.0. 💢 2. Micro, Small and Medium Enterprises (MSMEs) is facing challenges when it comes to adopting new technologies such as Industry 4.0. X 3. Micro, Small and Medium Enterprises (MSMEs) have been facing challenges when it comes to adopting new technologies such as Industry 4.0. ✓ 4. Micro, Small and Medium Enterprises (MSMEs) are facing challenges when it comes to adopting new technologies such as Industry 4.0. Question ID: 63068049389 Status: Answered Chosen Option: 4 Q.14 Select the most appropriate meaning of the given proverb. The fat buffalo will attract the lean buffalo. X 1. People run behind the thing they lack. 2. Strong people attract only weak people. 3. Successful people lead by example. 4. Weak people are exploited by strong people. Question ID: 63068055152 Status: Answered Chosen Option: 1





Q.3 This question has two statements followed by two conclusions numbered I and II. You have to take the given statements to be true even if they seem to be at variance from commonly known facts. You have to decide which conclusion/s logically follow/s from the given statements. Statements: Some pinks are rats. All ears are rats. Conclusions (I): Some rats are ears. Conclusions (II): Some rats are pinks. X 1. Only conclusion (II) follows. 2. Neither conclusion (I) nor (II) follows. 3. Both conclusions (I) and (II) follow. 4. Only conclusion (I) follows. Question ID: 63068083926 Status: Answered Chosen Option: 3 Q.4 Read the given information and answer the question(s) that follow(s). In a certain code language, 'Sit Stand Tall' is written as 'TEX OPT REF', 'Height Tall Dwarf' is written as 'DIS REF REA' and 'Dwarf Sit Weight is written as 'OPT DIS CON'. How will 'Sit' be written in that language? ✓ 1. OPT X 2. TEX **X** 3. DIS X 4. REF Question ID: 63068059281 Status: Answered Chosen Option: 1 Q.5 This question is based on the following words. **WALK MINT TALL BARE** If the first letter of each word is removed, which of the following will form new meaningful **English words?** X 1. Bare and Walk Ans X 2. Tall and Mint 3. Tall and Bare X 4. Mint and Bare Question ID: 63068049329 Status: Answered Chosen Option: 3

Q.6 Seven friends G, H, I, J, K, L and M are sitting around a circular table, facing away from the centre. J is sitting fourth to the left of G. K is sitting immediately to the left of J and immediately to the right of M. L and G are neighbours of H, who is sitting second to the left Who is sitting second to the left of K? Ans **X** 1. J 2. G X 3. I X 4. H Question ID: 63068048430 Status: Answered Chosen Option: 4 Q.7 Seven persons A, B, C, D, E, F and G are sitting around a circle for playing cards, facing towards the centre. C is sitting immediately to the left of G and D is sitting second to the left of C.B is sitting third to the right of A and F is sitting second to the left of A. Who is sitting third to the right of C? Ans X 1. D X 2. F √ 3. E X 4. B Ouestion ID: 63068048427 Status: Answered Chosen Option: 1 Q.8 Rahul is the nephew of Nilesh. Nilesh's mother is Rita. Sita is Rita's mother. Sita's husband is Arjun. Sushma is the mother-in-law of Arjun. How is Rahul related to Arjun? X 1. Rahul is Arjun's son 2. Rahul is Arjun's great grandson X 3. Rahul is Arjun's great grandson's son X 4. Rahul is Arjun's grandnephew Question ID: 63068058815 Status: Answered Chosen Option: 2 Q.9 In this question, two statements are followed by two conclusions, numbered I and II. Find out which conclusion(s) is/are true based on the given statements. Statements: $R > S \ge T \ge W$, $W \ge U < M$ **Conclusions:** I. U < S II.S = UX 1. Only conclusion I is true. Ans 2. Either conclusion I or conclusion II is true. 3. Both conclusions I and II are true. X 4. Only conclusion II is true. Question ID: 63068048940 Status: Answered Chosen Option: 2



Q.14 Select the combination of letters that when sequentially placed in the blanks of the given series will complete the series.

P_O_M _V_SR EF_C_ _YW_U L_KJ_

Ans X 1. NQUTDBVXMI

X 2. OPUTBDXVMI

X 3. QPUTDXBVMI

4. QNUTDBXVMI

Question ID: 63068060469 Status: Answered

Chosen Option: 4

Q.15 If – means +, \times means – , \div means \times , + means \div , then what will be the value of the following expression?

$$48 \div \frac{1}{12} \times 28 + 7 = ?$$

Ans 🧳 1. 0

X 2. 190

X 3. 188

X 4. 192

Question ID: 63068050687

Status: Answered

Chosen Option : ${\bf 1}$

Section: General Aptitude or Numerical Ability

Q.1 The digit in the unit's place of 2^{30} is:

Ans X 1.8

X 2. 6


3.4

X 4. 2

 $\Lambda dd_{3} 347$

Question ID: 63068049973 Status: Answered

Q.2 The sales of an item (in Thousands) in different days of a week is given.



What is the angle of Wednesday on the pie chart?

Ans

Question ID: 63068094975 Status: Answered

Chosen Option: 3

Q.3 In an NCC camp, there are food provisions for 500 cadets for 60 days. If 100 more persons join the NCC camp, for how many days will the provisions last?

Ans

X 2. 48 days

X 3. 44 days

4. 50 days

Question ID: 63068056872 Status: Answered

Chosen Option: 4

Q.4 A book is listed at ₹1,200 and two successive discounts of 10% and 10% are given on it. How much would the seller gain or lose if he gives a single discount of 20% instead of two discounts?


Ans

Question ID: 63068068483 Status: Answered

Q.5 In a frustum of a right circular cone, R = 5 cm, r = 3 cm, I = 6 cm. Calculate its curved surface area. Ans √ 1. 48π cm² \times 2. 144 π cm² × 3. 96π cm² × 4. 56π cm² Question ID: 63068067773 Status: Answered Chosen Option: 1 Q.6 A painter charges Rs.5 per sq. m. for painting any surface. Find the amount he will charge for painting a spherical ball of radius 10.5 m. **X** 1. ₹6,468 Ans 2. ₹6,699 **X** 3. ₹7,161 4. ₹6,930 Question ID: 63068060105 Status: Answered Chosen Option: 4 Q.7 An annual instalment of ₹2,200 will discharge a debt of ₹y due in 3 years at 14.5% simple interest per annum. What is the value of y? (Note: instalments will be paid at the end of year 1, year 2 and year 3.) **X** 1. 7757 Ans 2.7557 **X** 3. 7767 **X** 4. 7577 Question ID: 63068051385 Status: Answered Chosen Option: 1 Q.8 Pipe X can fill a tank 7 times faster in comparison to pipe Y. It takes 49 minutes for pipe X and Y to fill the tank together. How much time will pipe Y alone take to fill the tank? √ 1. 392 minutes Ans X 2. 393 minutes X 3. 391 minutes X 4. 390 minutes Question ID: 63068056908 Status: Answered Chosen Option: 1

Q.9 The marked price of a sofa was Rs.14,200. The shopkeeper was offering it for a discount of 25%, but on further bargaining agreed to offer a successive discount and finally sold the sofa for Rs.9,585. What was the second discount offered by him? **X** 1. 12% Ans **2**. 10% **X** 3. 18% **X** 4. 15% Question ID: 63068057567 Status: Answered Chosen Option: 2 Q.10 The sales of an item (in Thousands) in different days of a week is given. Sales Monday Tuesday ■ Wednesday Thursday ■ Saturday Friday Sunday The angle difference of 2.13° is for _ and X 1.; Sunday, Saturday × 2. Tuesday, Monday X 3. Friday, Saturday 4. Thursday, Friday Question ID: 63068094976 Status: Answered Chosen Option: 1 Q.11 In an election, a candidate got 65% of the votes and won by a margin of 900 votes. Find the total number of votes. **X** 1. 3500 Ans **2**. 4000 **3**. 3000 **X** 4. 2500 Question ID: 63068051615

Status: Answered



Q.1 What is the reason for the phenomenon called 'breaks' associated with monsoon? X 1. Stagnation of monsoon troughs Ans X 2. Disappearance of monsoon troughs X 3. Stability of monsoon troughs 4. Movements of monsoon troughs Question ID: 63068068548 Status: Answered Chosen Option: 2 Q.2 As per the HDR 2020, India's HDI value stood at: **X** 1. 0.673 **X** 2. 0.63 **3.** 0.645 **X** 4. 0.665 Question ID: 63068050987 Status: Answered Chosen Option: 4 Q.3 To whom is the Dronacharya Award given in India? 1. Coach Ans X 2. Association X 3. Manager X 4. Player Question ID: 63068051052 Status: Answered Chosen Option: 1 Q.4 In which year did Christiaan Huygens put forward the wave theory of light? **X** 1. 1681 **X** 2. 1680 **X** 3. 1675 **4**. 1678 Question ID: 63068051573 Status: Answered Chosen Option: 1 Q.5 Which of the following is largest phylum of the animal kingdom? X 1. Chordata Ans X 2. Annelida X 3. Mollusca 4. Arthropoda Question ID: 63068052825 Status: Answered Chosen Option: 2

Q.6 Which of the following is NOT a qualification for appointment as a Judge of the Supreme Court? Ans 1. He/she should have been an advocate of a High Court (or two or more such courts in succession) for at least 10 years 2. He/she should have been a High Court judge for at least 10 years X 3. He/she should have been a High Court judge for at least 5 years X 4. He/she should be a citizen of India Question ID: 63068051149 Status: Answered Chosen Option: 3 Q.7 In which year was the Microfinance Institutions Network established? **1**. 2009 Ans **X** 2. 2008 **X** 3. 2012 **X** 4. 2015 Ouestion ID: 63068053623 Status: Answered Chosen Option: 1 Q.8 What is the extent of the catchment area of the minor river basins in India? X 1. 1500 - 2000 sq. km Ans 2. Less than 2000 sq. km 🗙 3. 2000 - 4000 sq. km X 4. 3000 - 4000 sq. km Question ID: 63068068544 Status: Answered Chosen Option: 2 Q.9 Who constructed the Nahargarh Fort in Jaipur? Ans X 1. Shivaji Maharaj 2. Sawai Jai Singh II

X 3. Rao Jodha

🗙 4. Maharaja Pratap Singh

Question ID: 63068071477 Status: Answered

Q.10 Who among the following was a force behind declaring Sati illegal?

Ans

X 1. Lord Dalhousie

2. Lord William Bentinck

X 3. Lord Canning

X 4. Lord Rippon

Question ID: 63068052796

Status: Answered Chosen Option: 2

Section: Discipline related

Q.1 Suppose that X is a continuous random variable with probability density function

$$f(x) = \begin{cases} \frac{x}{8}, & x \in [0,2) \\ \frac{1}{4}, & x \in [2,4) \\ -\frac{x}{8} + \frac{3}{4}, & x \in [4,6) \end{cases}$$

Find the mean of X.

Ans

Question ID: 63068099930

Status: Answered

Chosen Option: 1

Q.2 Two coils A and B are arranged parallel to each other. When the current in coil B increases at the rate of 20 A/s and initial current in coil A is zero, the induced emf in coil A is 100 V. The mutual inductance of the two coils is:

Ans

Question ID: 630680100049

Status: Answered

Q.3 A charge Q_1 of 3.0 μ C is placed at point (36 cm, 0) and another charge Q_2 of 9.0 μ C is placed at a point (0, -27 cm). Let i and j be the unit vectors in x- and y- directions, respectively. The force exerted by Q_2 on Q_1 is:

Ans

$$\times$$
 1. $-(0.96 \text{ N}) \text{ i} + (0.72 \text{ N}) \text{ j}$

×2. -(0.96 N) i -(0.72 N) j

√ 3. (0.96 N) i +(0.72 N) j

× 4. (0.96 N) i −(0.72 N) j

Question ID: 630680100037

Status: Answered

Chosen Option: 3

Q.4

Find
$$\lim_{x \to \frac{\pi}{4}} \frac{\cot^3 x - \tan x}{\cos(x + \frac{\pi}{4})}$$
.

Ans

$$\times$$
 1. $\sqrt{2}$

$$\times$$
 3. $4\sqrt{2}$

X 4. 4

Question ID: 63068099916

Status : **Answered** Chosen Option : **3**

Q.5 A parallel plate capacitor with circular plates of radius 1 m has a capacitance of 1 nF. At t = 0, it is connected for charging in series with a resistor $R = 1 M\Omega$ across a 2 V battery. Then the electric field at a point P, halfway between the centre and the periphery of the plates, after $t = 10^{-3}$ s is.

Δne

× 2. 0.45 V/m

X 3. 4.54 V/m

√ 4. 45.42 V/m

dda 247

Question ID : 630680100072 Status : Answered

Q.6 Consider two coaxial cylinders of same length L, with vacuum inside them. The radii of the inner solenoid and the outer solenoid are r_1 and r_2 ($> r_1$), respectively. The number of turns per unit length are n_1 and n_2 for the inner solenoid and the outer solenoid, respectively. Their mutual inductance is:

Ans

- \times 1. $4\pi \mu_0 n_1 n_2 r_2^2 L$
- \times 2. π μ_0 n_1 n_2 r_2^2 L
- \checkmark 3. $\pi \mu_0 n_1 n_2 r_1^2 L$
- \times 4. $4\pi \mu_0 n_1 n_2 r_1^2 L$

Question ID : 630680100000 Status : Answered

Chosen Option: 1

Q.7 A parallel plate capacitor with plate area A and plate separation d, with vacuum between the plates has a capacitance C₀.
The space between the plates is filled with two slabs of the same area but thicknesses (d/4) and (3d/4) made of material of dielectric constant 2 and 4, respectively. The capacitance of the capacitor is now:

Ans

- \checkmark 1. $(\frac{16}{5})$ C₀
- \times 2. $(\frac{12}{5})$ C₀
- \times 3. $(\frac{6}{5})$ C₀
- \times 4. $(\frac{8}{5})$ C₀

Question ID: 63068099983

Status : Answered

Chosen Option : 4

Q.8 A cricket club has 15 members, of whom only 5 can bowl. What is the probability that in a team of 11 members at least three bowlers are selected?

Ans

- \times 1. $\frac{83}{91}$
- \times 2. $\frac{85}{90}$
- **√** 3. $\frac{12}{13}$
- \times 4. $\frac{42}{45}$

Question ID : **63068099905** Status : **Answered**

Q.9 Let θ and ϕ be an acute angle such that $\sin \theta = \frac{1}{\sqrt{2}}$ and $\cos \phi = \frac{1}{3}$, the value of $\theta + \phi$ is:

- Ans
- \times 1. $\left(\frac{\pi}{3}, \frac{\pi}{2}\right)$
- $\times 2. \left(\frac{5\pi}{12}, \frac{3\pi}{4}\right)$
- \times 3. $\left(\frac{\pi}{6}, \frac{\pi}{2}\right)$
- \checkmark 4. $\left(\frac{7\pi}{12}, \frac{3\pi}{4}\right)$

Question ID: 63068099911 Status: Answered

Chosen Option: 4

Q.10 The value of $7\pi/6$ into degrees should be:

- Ans
- X 1. 135°
- X 2. 230°
- X 3. 155°
- √ 4. 210°

Question ID: 63068099936 Status: Answered

Chosen Option: 4

Q.11 Find the length of the vector represented by the directed line segment with initial point P(2, -3, 4) and terminal point Q(-2,1,1).

Ans

- √ 1. √41
- × 2. √32
- **×** 3. √43
- × 4. √39

dda|24|7|

Question ID : 63068099899 Status : Answered

Q.12 A set of linear equations is represented by the matrix equation Ax=b. The necessary condition for the existence of a solution for this system is:

Ans

1. b must be linearly independent of the columns of A

2. Det(A)=0

3. b must be linearly dependent on the columns of A

Question ID : 63068099966 Status : Answered Chosen Option : 1

Q.13 A square sheet of side 5.0 cm is placed in an electric field $\mathbf{E} = (1.6 \times 10^4 \ \frac{\text{N}}{\text{c}}) \mathbf{i}$ such that the normal unit vector for the sheet is $[(\frac{\sqrt{3}}{2}) \mathbf{i} + (\frac{1}{2}) \mathbf{j}]$. The electric flux through the sheet is:

Ans \times 1. 40 N m²/C

 \times 2. 17.3 N m²/C

✓ 4. A must be invertible

✓ 3. 34.6 N m²/C

 \times 4. 20 N m²/C

Question ID: 630680100008
Status: Answered
Chosen Option: 3

Q.14 Which of the following statements is/are correct?

(a) Microwaves are produced by klystron valves.

(b) Radio waves are produced by inner shell electrons when they move from one energy level to a lower energy level.

Ans X 1. Both (a) and (b)

× 2. Only (b)

X 3. Neither (a) nor (b)

Question ID : 630680100019
Status : Answered
Chosen Option : 1

Q.15 Find the area bounded by the curve $y = x^2 + x + 4$, the x-axis and the ordinates x = 1 and x = 3.

Ans 1. 62/3 units

× 2. 46 units

× 3. 65/3 units

X 4. 61/3 units

Question ID: 63068099972 Status: Answered

Chosen Option : ${\bf 1}$

Q.16 Suppose to obtain a diffraction pattern one student uses a violet coloured beam of light. If the student replaces violet light by green light then:

Ans

- X 1. diffraction fringes become narrower and crowded
- ✓ 2. the diffraction pattern becomes broader and further apart
- × 3. no diffraction is observed
- × 4. diffraction pattern remains same

Question ID: 630680100077 Status: Answered Chosen Option: 2

Q.17 A battery of EMF 6.0 V and internal resistance 1.0 Ω is connected to a resistor of 11 Ω . The terminal potential difference for the battery is:

Ans

- X 1. 5.2 V
- X 2. 4.5 V
- X 3. 6.0 V

Question ID : 63068099986 Status : Answered Chosen Option : 4

Q.18 The ratio of the longest wavelength to the shortest wavelength ($\frac{\lambda_L}{\lambda_S}$) in Paschen series of hydrogen spectrum is:

Ans

- 1. 16/7
- \times 2. $\frac{12}{7}$
- \times 3. $\frac{14}{7}$
- × 4. $\frac{8}{7}$

Adda 247

Question ID : 630680100005 Status : Answered Chosen Option : 4 Find the angle between the lines $\frac{x-3}{1} = \frac{y-2}{2} = \frac{z+1}{2}$ and $\frac{x-0}{3} = \frac{y-5}{2} = \frac{z-2}{6}$.

Ans

- \times 1. $cos^{-1}\left(\frac{19}{25}\right)$
- $\times 2. \cos^{-1}\left(\frac{23}{27}\right)$
- **3** cos⁻¹ $\left(\frac{19}{21}\right)$
- \times 4. $cos^{-1}\left(\frac{17}{21}\right)$

Question ID: 63068099903 Status: Answered

Chosen Option: 3

Q.20 A long straight conductor carries a current of 5 A. The magnitude of the magnetic field at a point 20 cm from the conductor is:

Ans

- \times 1. 15 μT
- \times 2. 20 μT
- √ 3. 5 μT
- \times 4. 10 μT

Question ID : **630680100044** Status : **Answered**

Chosen Option: 3

Q.21 The total energy released if 47 g of 235 U undergoes fission (disintegration energy per event, Q = 200 MeV, Avogadro's number = 6.02×10^{23} nuclei/mol) is close to:

Δne

- \times 1. 1.92 × 10¹¹ J
- \checkmark 2. 3.85 × 10¹² J
- \times 3. 7.70 \times 10¹⁴ J
- \times 4. 2.42 × 10¹² J

Question ID: 630680100033 Status: Answered

Q.22 Let A be the set $\{1, 2, 3, 4\}$. Which ordered pairs are in the relation $R = \{(a, b); a \text{ divides } b\}$?

Ans \times 1. {(1,1),(1,2),(1,3),(1,4),(2,2),(2,3),(3,1),(4,4)}

- **✓** 2. {(1,1),(1,2),(1,3),(1,4),(2,2),(2,4),(3,3),(4,4)}
- \times 3. {(1,1),(1,2),(1,3),(1,4),(2,3),(2,4),(3,3),(4,4)}
- × 4. {(1,1),(1,2),(1,3),(1,4),(2,2),(2,3),(3,3),(4,4)}

Question ID: 63068099882 Status: Answered Chosen Option: 2

Q.23 A battery with an internal resistance of 2 Ω and an emf of 4.0 V is connected in series to a load resistance and the terminal voltage falls to 3.8 V. What current is flowing in the circuit, and what is the value of the load resistance?

Ans \times 1. 0.1 A, 28 Ω

× 2. 0.01 A, 280 Ω

√ 3. 0.1 A, 38 Ω

× 4. 0.01 A, 380 Ω

Question ID: 630680100041

Status: Answered

Chosen Option: 3

Q.24 An object is placed on the axis of a convex mirror at a point near its pole. Its image formed by the mirror is

Ans X 1. virtual and inverted

× 2. real and inverted

X 3. real and erect

✓ 4. virtual and erect

Question ID: 630680100021 Status: Answered

Chosen Option: 3

Q.25 What is the identity used to verify the vectors $\bar{a} = (1, 4, -7), \bar{b} = (2, -1, 4)$ and $\bar{c} = (0, -9, 18)$ are coplanar?

Ans

$$\times$$
 1. $\bar{a} \times (\bar{b} \cdot \bar{c})$

$$\times$$
 2. $\bar{a} \times (\bar{b} \times \bar{c})$

$$\checkmark$$
 3. $\bar{a} \cdot (\bar{b} \times \bar{c})$

$$\times$$
 4. $\bar{a} \cdot (\bar{b} \cdot \bar{c})$

Question ID: 63068099901 Status: Answered

Q.26 Let R be the set of all real numbers and a function $f: R \to R$ be defined by f(x) = ax + b, where a, b are constants and $a \ne 0$. Is f invertible? If it is so, find the inverse of f.

Ans

- ✓ 1. Inverse of f exists and $f^{-1}(x) = \frac{x-b}{a}$
- \times 2. f is one-to-one but not onto
- \times 3. f is onto but not one-to-one
- \times 4. Inverse of f does not exist

Question ID: 63068099884 Status: Answered

Chosen Option: 1

Q.27 The angle between the lines $\frac{x-4}{2} = \frac{y}{1} = \frac{z+1}{-2}$, $\frac{x-1}{4} = \frac{y+1}{-4} = \frac{z-2}{2}$ is:

Ans

- \times 1. $\frac{\pi}{6}$
- \times 2. $\frac{\pi}{4}$
- \times 3. $\frac{\pi}{3}$
- \checkmark 4. $\frac{\pi}{2}$

Question ID: 63068099926

Status : Answered

Chosen Option : 4

Q.28 A plane electromagnetic wave travels in vacuum along z-direction. Then which of the following statements is true for the electric and magnetic field vector?

Ans X

The electric field (E) and magnetic field (H) lie in the x-z plane and they are mutually perpendicular.

^ 2

The electric field (E) and magnetic field (H) lie in the x-z plane and they are parallel to each other.

3

The electric field (E) and magnetic field (H) lie in the x-y plane and they are mutually perpendicular.

X 4.

The electric field (E) and magnetic field (H) lie in the y-z plane and they are mutually perpendicular.

Question ID: 630680100074

Status: Answered

- (a) During forward bias, the width of depletion region decreases and the barrier height is reduced.
- (b) During reverse bias, the width of depletion region increases and the barrier height increases.

Ans

- X 1. Neither (a) nor (b)
- × 2. Only (b)
- X 4. Only (a)

Question ID: 63068099999 Status: Answered Chosen Option: 3

Q.30 Consider two wires, AB and CD, of lengths 2L and L and radius r and 2r, respectively. AB and CD are made of material of resistivity ρ and 2ρ , respectively. The wires are connected in parallel to a battery of EMF E of negligible internal resistance. The ratio of currents through AB and CD, $(I_{\mbox{\footnotesize{AB}}}/I_{\mbox{\footnotesize{CD}}})$ is:

Ans



$$\times$$
 2. $\frac{1}{2}$

Question ID: 630680100014 Status: Answered Chosen Option: 3

Q.31 Let N and N_0 be the number of radioactive nuclei in a sample at time t and at time t = 0, respectively. Then the ratio $(\frac{N}{N})$ is equal to _____ where λ is the disintegration constant or decay constant.

Ans
$$\times$$
 1. $e^{-(2\lambda)t}$

$$\times$$
 3. $e^{-(\frac{\lambda}{2})t}$

Question ID: 630680100031 Status: Answered Chosen Option: 4

Q.32 Two batteries, E_1 (emf: 3 V, internal resistance: 0.5Ω) and E_2 (emf: 6 V, internal resistance: 1.0Ω), are connected in series by connecting the positive terminal of E_2 to the negative terminal of E_1 . A third battery E_3 (emf: 6 V, internal resistance: 1.0Ω) is connected in parallel with this combination by connecting its positive terminal to the positive terminal of E_1 and its negative terminal to the negative terminal E_2 . The equivalent emf of this combination is:

Ans

√ 1. 7.2 V

X 2. 6.0 V

X 3. 3.6 V

X 4. 4.8 V

Question ID: 630680100013

Status : **Answered** Chosen Option : **4**

Q.33 In a single slit diffraction experiment, a light of wavelength 500 nm is used and the second minimum is observed at an angle of 45° . The width of the slit is:

Ans

 \times 1. 2.414 μm

× 2. 0.623 μm

× 3. 1.142 μm

√ 4. 1.414 μm

Question ID: 630680100078

Status : Answered

Chosen Option : 1

Q.34 A nucleus has an atomic number 64. Considering the nucleus as a liquid -drop, its radius will be close to

 $(R_0 = 1.2 \text{ fm})$:

Ans

X 1 19.2 fm

× 2. 9.6 fm

√ 3. 4.8 fm

X 4. 2.4 fm

dda 247

Question ID: 630680100003 Status: Answered

Chosen Option: 4

Q.35

Evaluate $\begin{vmatrix} 3 & 6 & 9 \\ 4 & 8 & 12 \\ 5 & 7 & 4 \end{vmatrix}$.

Ans

√ 1. 0

X 2. 69

X 3. 54

X 4. 78

Question ID : 63068099939 Status : Answered

Q.36 Suppose that an alpha particle of 3.20 MeV approaches head-on a lead nucleus (Z=82). Assuming that the lead nucleus remains at rest and the alpha particle momentarily comes to rest and reverses its direction at a distance much more than the radius of the lead nucleus, the distance of its closest approach is:

Ans X 1 59.2 fm

× 2. 36.9 fm

√ 3. 73.8 fm

X 4. 24.6 fm

Question ID: 630680100035 Status: Answered

Chosen Option: 1

Q.37 📄

Ans \times 1. 6π N m

× 2. 8π N m

 \times 3. 2π N m

√ 4. 4π N m

Ouestion ID: 63068099989

Status: Answered Chosen Option: 2

Q.38 The magnetic field in a plane electromagnetic wave is given by $B_y = 0.2 \mu T \sin(8\pi \times 10^2 z + 6\pi \times 10^{11} t)$. Then the electric field of the wave is:

Ans

$$\times$$
 1. $E_x = 6 \text{ V/m} \sin(8 \pi \times 10^2 \text{ z} + 6 \pi \times 10^{11} \text{t})$

$$\times$$
 2. E_v = 6 V/m sin (8 $\pi \times 10^2$ z + 6 $\pi \times 10^{11}$ t)

$$\times$$
 3. $E_y = 60 \text{ V/m} \sin (8 \pi \times 10^2 \text{ z} + 6 \pi \times 10^{11} \text{t})$

$$\checkmark$$
 4. E_x = 60 V/m sin (8 π×10² z + 6 π×10¹¹t)

Ouestion ID: 630680100075 Status: Answered Chosen Option: 4

Find the first derivative of $e^{x \ln a} + e^{a \ln x} + e^{a \ln a}$.

Ans
$$\times 1$$
 $a^{x} \ln a + ax^{x-1} + a^{a}$

$$\times$$
 2. $a^x + ax^{x-1} + a^a$

$$\sqrt{3} a^x \ln a + ax^{a-1}$$

$$\times$$
 4. $a^{x} + ax^{x-1}$

Question ID: 63068099918 Status: Answered

The probability of drawing any one spade card is:

Ans

X 1.
$$\frac{1}{52}$$

🗙 3.
$$\frac{4}{13}$$

Question ID: 63068099957 Status: Answered Chosen Option: 4

Q.41 Consider the set $G = \{a + b\sqrt{2} : a, b \in Q, \text{ the set of all rational numbers}\}$ with respect to binary operation usual addition. Which condition fails for G?

Ans

★ 1. Associativity property

X 2. Identity element

X 3. Inverse property

4. Non-commutativity property

Question ID: 63068099885 Status: Answered Chosen Option: 1

Q.42 $\frac{d}{dx} \int_2^x lnt \ dt = ?$

$$\times$$
 3. $\frac{1}{x}$

$$\times$$
 4. $\frac{1}{2}$

Question ID: 63068099970 Status: Answered Chosen Option: 3

Q.43 Find mid point of (4, 3, 6) and (6, 5, 12).

Ans \times 1. (4,4,9)

2. (5,4,9)

X 3. (5,4,3)

× 4. (5,3,9)

Question ID: 63068099980

Status : **Answered**

Chosen Option : 2

Q.44 Find the minor and cofactor, respectively, for the element 2 in the matrix $\Delta = \begin{pmatrix} 6 & 5 \\ 2 & 4 \end{pmatrix}$.

Ans \times 1. $M_{21} = -5$, $A_{21} = -5$

 \times 2. $M_{21} = -5$, $A_{21} = 5$

 \times 3. $M_{21} = 5$, $A_{21} = 5$

 \checkmark 4. $M_{21} = 5, A_{21} = -5$

Question ID: 63068099964

Status : Answered

Chosen Option : 3

Q.45 Evaluate $\int x(x^2 - 7)^{15} dx$.

Ans \times 1. $(\chi^3 + 7)^{15} + C$

 \times 2. $(x^3-7)^{15}+C$

 \checkmark 3. $\frac{1}{32}(x^2-7)^{16}+C$

 \times 4. $(x^2-7)^{16}+C$

4//

Question ID : 63068099946

Status : **Answered**

Chosen Option : $\boldsymbol{3}$

Q.46 Find all values of x in the interval $[0,2\pi]$ such that sinx = sin2x?

Ans X 1. 3

2. 5

X 3. 2

X 4. 4

Question ID: 63068099886

Status: Answered

Q.47 Suppose a uniform electric field is given as $E = 4 \times 10^4 \hat{j}$ N/C (\hat{j} is unit vector along the y axis), then the flux of this field through a square of 20 cm on a side whose plane is parallel to the xz plane is:

Ans

✓ 1. 1600 N m²/C

 \times 2. 800 N m²/C

 \times 3. 80 N m²/C

× 4. 160 N m²/C

Question ID: 630680100039

Status: Answered

Chosen Option: 1

Q.48 The number of turns in the primary and the secondary coils of a transformer are 800 and 24000, respectively. If the current in the secondary is 6.0 A, the current in the primary is:

Ans

X 1. 90 A

✓ 2. 180 A

X 3. 120 A

X 4. 150 A

Question ID : 630680100047

Status : Answered

Chosen Option: 2

Q.49 Consider the following relations on the set $\{1, 2, 3, 4\}$:

 $R_1 = \{(1,1), (1,2), (1,4), (2,1), (2,2), (3,3), (4,1), (4,4)\}$

 $R_2 = \{(2,1), (3,1), (3,2), (4,1), (4,2), (4,3)\}$

 $R_3 = \{(1,1), (1,2), (1,3), (1,4), (2,2), (2,3), (2,4), (3,3), (3,4), (4,4)\}$

 $R_4 = \{(1,1), (1,2), (2,1), (2,2), (3,4), (4,1), (4,4)\}$

Which of these relations are reflexive and transitive but NOT symmetric?

Ans

✓ 1. R₂

 \times 2. R_1, R_3

X 3. R2, R4

× 4. R₂

Question ID: 63068099883

Status : **Answered**

Q.50 Which of the following is the correct value of tan 10°.tan 20°.tan 60°.tan 70°.tan 80°?

Ans

$$\times$$
 1. $1/\sqrt{3}$

Question ID: 63068099962

Status: Answered

Chosen Option: 2

Q.51 If $f(x) = \frac{1-x}{2+x}$, then find f'(x).

Ans

$$\times 1. \frac{1}{(2+x)^2}$$

$$\checkmark 2. \frac{-3}{(2+x)^2}$$

$$\times 3. \frac{2}{(3+x)^2}$$

$$\times$$
 4. $\frac{1}{(x-2)^2}$

Question ID: 63068099893

Status: Answered

Chosen Option : 2

Q.52 A 2.0 cm segment of a wire, centred at the origin (0,0,0) lies along X-axis. It carries a current of 4.0 A in positive X-direction. The magnetic field due to this segment at a point (0, 4.0 m, 0) is $[(\frac{\mu_0}{4\pi}) = 10^{-7} \text{ Tm/A}, \text{ and i, j and k are unit vectors along X-axis, Y-axis and Z-axis, respectively}]$:

Ans

$$\times$$
 1. $-(2.5 \times 10^{-10} \text{ T}) \text{ k}$

$$\checkmark$$
 2. $(5.0 \times 10^{-10} \,\mathrm{T}) \,\mathrm{k}$

$$\times$$
 3. $-(5.0 \times 10^{-10} \text{ T}) \text{ k}$

$$\times$$
 4. (2.5 × 10⁻¹⁰ T) k

Question ID: 63068099991

Status: Answered

Q.53 If $x^4 + y^4 = 16$, then find the second derivative of y.

Ans

✓ 1.
$$y'' = \frac{-48 x^2}{y^7}$$

$$\times$$
 2. $y'' = \frac{-24 x^2}{y^7}$

$$\times$$
 3. $y'' = \frac{-48 x^3}{y^5}$

$$\times$$
 4. $y'' = \frac{32x^2}{v^5}$

Question ID: 63068099894

Status : Answered

Chosen Option : 1

Q.54 Find a vector perpendicular to the plane that passes through the points P(1,4,6), Q(-2,5,-1) and R(1,-1,1).

Ans

$$\times$$
 3. (40, -15, 15)

$$\times$$
 4. $(7,4,-2)$

Question ID: 63068099900

Status : Answered

Chosen Option: 2

Q.55 Find the magnitude of the shortest distance between the lines
$$\frac{x-0}{2} = \frac{y-0}{-3} = \frac{z-0}{1}$$
 and $\frac{x-2}{3} = \frac{y-1}{-5} = \frac{z+2}{2}$.

Ans

$$\checkmark$$
 1. $\frac{1}{\sqrt{3}}$

$$\times$$
 2. $\frac{1}{\sqrt{5}}$

$$\times$$
 3. $\frac{1}{\sqrt{7}}$

$$\times$$
 4. $\frac{2}{\sqrt{3}}$

Question ID: 63068099927

Status: Answered

Q.56 An object that is 2.0 cm in height is placed at a distance of 24.0 cm in front of a concave mirror of focal length 16.0 cm. Following New Cartesian Sign Convention, the image is formed at v is _____ and its height hi is ____ Ans × 1. 48 cm, 4.0 cm ✓ 2. -48 cm, -4.0 cm × 3. 9.6 cm, 0.8 cm × 4. −9.6 cm, −0.8 cm Ouestion ID: 63068099997 Status: Answered Chosen Option: 1 Rutherford scattering experiment is based on: √ 1. alpha particle scattering from gold foil X 2. beta particle scattering from gold foil X 3. gamma rays from aluminium foil × 4. beta particle scattering from Zn foil Question ID: 630680100084 Status: Answered Chosen Option: 1

Q.58 What is the area of the triangle with vertices (3,-2), (4,0), (0,-4)?

Ans X 1. 24

2. 2

X 3. 4

X 4. 16

Question ID: 63068099940 Status: Answered

Q.59 $\int dx/x = \log |(x)|$ is not possible when:

Ans X 1. x=-1

 \times 2. x=1

X 3. x=-2

√ 4. x=0

Ouestion ID: 63068099947 Status: Answered Chosen Option: 4

Q.60 When Si is doped with _____ an n-type semiconductor is formed.

Ans X 1. aluminium

× 2. boron

3. phosphorous

× 4. indium

Question ID : 63068099998 Status : Answered

Chosen Option : $\boldsymbol{2}$

