

1q: where is the woodruff area located ?

answer: posterior area of inferior turbinate.

2q: all of the following are characteristics of AL amyloidosis except ?

- a. finger nail dystrophy
- b. periorbital ecchymoses
- c. macroglossia
- d. skin easily destroyed by stress and strain

answer: d . see the figures in page number 2145 of 17th edition of harrison .

3q: froment's test is used to test which nerve ?

answer: ulnar nerve .

4q: X linked sideroblastic anaemia is due to which enzyme deficiency ?

answer: ALA synthase .

5q: thomas test is done for ?

answer: fixed flexion deformity of hip .

6q: what is "spina ventosa " ?

answer: tuberculous dactylitis .

7q: which of the following is the mechanism of action of rasburicase ?

- a. increases the excretion of uric acid
- b. increases the formation of uric acid
- c. converts conversion of uric acid to allantoin
- d. none

answer: c .

8q: all of the following are indications of emergency radiotherapy except ?

- a. superior mediastinal syndrome
- b. hemorrhage
- c. spinal cord compression
- d. pathological fracture

answer: d .

9q: all of the following are used in postpartum hemorrhage except ?

- a. oxytocics
- b. ergometrine
- c. misopristol
- d. PG F2 ALPHA

answer: c .

10q: indinavir is what type of drug ?

answer: protease inhibitor .

11q: all of the following are associated with polyhydramnios except ?

- a. renal agenesis
- b. diabetes
- c. multiple pregnancy
- d. anencephaly

answer: a . renal agenesis .

12q: all of the following are associated with guillian barre syndrome except ?

- a. mycoplasma pneumoniae
- b. campylobacter jejuni
- c. EBV
- d. legionella

answer: d . legionella .

13q: melaney's gangrene is associated with which structure ?

answer: abdominal wall .

14q: clue cells are associated with ?

answer: gardenerella vaginalis .

15q: a child born to a syphilitic mother will not infect the mother but will infect others .
this is called ?

- a. colle's law
- b. profeta's law
- c. kassowitz law

d. diday's law

answer: a . colle's law .

16q: which carcinoma of the thyroid is associated with nodular goitre ?

- a. follicular thyroid carcinoma
- b. papillary thryoid carcinoma
- c. medullary carcinoma thyroid
- d. none

answer: a . follicular thyroid carcinoma .

17q: what is ward mayo operation ?

answer: vaginal hysterectomy with pelvic floor repair .

18q: anderson hynes operation is done for ?

answer: pelvi ureteric junction obstruction .

19q: IUCD can be used as a emergency contraceptive if used with in how many days ?

answer: 5 days .

20q: glucagon is NOT found in which organ ?

- a. brain
- b. kidney
- c. stomach
- d. adrenal gland

answer: a . brain .

21q: descending vaginal artery is a branch of ?

answer: uterine artery .

22q: superior thyroid artery is a branch of ?

answer: external carotid artery .

23q: right ovarian vein drains into ?

answer: inferior venacava .

24q: griesinger's sign is due to thrombosis of ?

- a. sagittal sinus
- b. mastoid emissary vein
- c. both
- d. none

answer: b . mastoid emissary vein .

25q: ferning of cervical mucus is due to ?

- a. KCl
- b. NaCl
- c. CaCl₂
- d. none

answer: b . NaCl .

26q: non union is a complication of all except ?

- a. medial malleolus of tibia
- b. lateral condyle of humerus
- c. fracture neck of femur intracapsular
- d. trochanteric fracture

answer: d .

27q: pond's fracture is common in ?

- a. newborn
- b. children
- c. adolescents
- d. adults

answer: b . children .

28q: what is the cutoff for mid-arm circumference of arm ?

- a. 10.5 cms
- b. 11.5 cms
- c. 12.5 cms
- d. 13.5 cms

answer:

29q: radiation dose to treat early prostatic carcinoma ?

- a. 50 gy
- b. 60 gy
- c. 70 gy
- d. 80 gy

answer:

30q: hyperestrogenic conditions are all except ?

- a. endometriosis
- b. endometrial carcinoma
- c. fibroid
- d. carcinoma cervix uterii

answer: d . carcinoma cervix uterii .

31q: all of the following are branches of the cords of brachial plexus except ?

- a. ulnar nerve
- b. musculocutaneous nerve
- c. dorsal scapular nerve
- d. medial cutaneous nerve of forearm

answer: c . dorsal scapular nerve .

32q: first antibody produced by newborn ?

answer: Ig M .

33q: 100 micrograms of anti D RH immunoglobulin is used to neutralise how many millilitres of blood ?

- a. 1 ml
- b. 5 ml
- c. 10 ml
- d. 15 ml

answer:

34q: a person was infected with louse and developed a disease . what is the diagnosis ?

- a. Q fever
- b. epidemic typhus
- c. endemic typhus
- d. none

answer: b .

35q: laser iridotomy is done in ?

answer: angle closure glaucoma .

36q: what is the cyst which arises from the wolffian ducts ?

answer: gartner's duct cyst .

37q: bag and mask ventilation is contraindicated in ?

answer: congenital diaphragmatic hernia .

38q: heliotrope rash, eyelid edema is seen in ?

answer: dermatomyositis .

39q: band shaped keratopathy is seen in ?

- a. hyperparathyroidism
- b. uveitis
- c. corneal edema
- d. none

answer: a . hyperparathyroidism .

40q: exudative retinal detachment is seen in ?

- a. high myopia
- b. diabetes mellitus
- c. eales disease
- d. uveitis

answer:

41q: which of the following is the most common systemic disorder associated with chorea ?

- a. SLE
- b. infections including HIV
- c. rheumatoid arthritis
- d. none

answer: a . SLE . PAGE NO 2562 - HARRISON 17 TH EDITION .

42q: which of the following is the most common location of atopic dermatitis in children ?

- a. flexural surfaces
- b. extensor surfaces
- c. face
- d. none

answer: a . flexural surfaces .

43q: ceftriaxone is the drug of choice in the treatment of ?

- a. gonorrhoea
- b. chlamydia
- c. both
- d. none

answer: a . gonorrhoea .

44q: which is the gold standard diagnostic test for paroxysmal nocturnal hemoglobinuria ?

- a. sucrose lysis test
- b. HAM test
- c. flow cytometry
- d. none

answer: c . flow cytometry .

45q: QUESTION ON HEMOGLOBIN - H ?

answer:

46q: hemolytic uremic syndrome causing anticancer drug ?

- a. mitomycin - c
- b. vincristine
- c.
- d.

answer: a . mitomycin - c . 1814 harrison 17th edition .

47q: what is the treatment of choice for choledochal cyst ?

answer: excision .

48q: all of the following are incinerated except ?

- a. waste sharps
- b. solid wastes
- c. cytotoxic drugs
- d. human wastes

answer:

49q: triage is used in ?

- a. all mass casualties
- b. warfare
- c.
- d.

answer: a . all mass casualties .

50q: which of the following is not a feature of renal tubular acidosis type 1 ?

- a. fanconi syndrome
- b. stones
- c.
- d.

answer: a . fanconi syndrome .

51q: brush burn is associated with ?

- a. electrocution
- b. arborescent mark
- c. grazed abrasion
- d.

answer: grazed abrasion .

52q: time limit for exhumation in india ?

answer: no time limit .

53q: which of the following drugs used in HIV infection can be given subcutaneously ?

answer: enfuvirtide .

54q: what is the mechanism of action of maraviroc ?

answer: CCR5 inhibitor .

55q: the drug with least extrapyramidal symptoms ?

- a. haloperidol
- b. clozapine
- c.
- d.

answer: b . clozapine .

56q: confirmatory test for hydronephrosis ?

- a. clinical examination
- b. X ray
- c. ultrasound
- d. none

answer: c .

57q: Calymmatobacterium is ?

- a. gram positive
- b. gram negative
- c. acid fast
- d. none

answer: b . gram negative .

58q: Single umbilical artery is associated with ?

answer: congenital fetal anomalies .

59q: all of the following cause definitive hemolysis in G6PD deficiency except ?

- a. naphthalene
- b. ciprofloxacin
- c. primaquine
- d.

answer: b . ciprofloxacin .

60q: what is the cause of jaundice in a new born ?

answer: erythroblastosis foetalis .

61q: most common type of diaphragmatic hernia ?

- a. left bochdalek
- b. right bochdalek
- c. left morgagni
- d. right morgagni

answer: d . left bochdalek hernia .

62q: narath's hernia all are true except ?

- a. only due to congenital dislocation of hip
- b. due to lateral displacement of psoas muscle
- c. hernia hidden behind femoral vessels
- d.

answer: refer bailey and love 24th edition page no 1282 .

63q: most common site of ectopia testis ?

- a. superficial inguinal pouch
- b. femoral region
- c. perineum
- d. none

answer:

64q: which is the most common site of testicular torsion ?

- a. hydatid of morgagni
- b. epididymis
- c.
- d.

answer: a. hydatid of morgagni .

65q: all of the following are complications of pleural biopsy except ?

- a. seeding of tumor
- b. air embolism
- c. pulmonary embolism
- d. transient fever

answer: c .

66q: fogarty's catheter is used for ?

- a. arterial embolectomy
- b. venous embolectomy
- c. arterial endarterectomy
- d. none

answer:

67q: circumcision is contraindicated in ?

- a. hypospadias
- b. balanitis
- c. balanoprophthitis
- d. none

answer: a . hypospadias .

68q: which of the following is false about carcinoma of cervix ?

- a. vaginal delivery is contraindicated in carcinoma in situ of cervix
- b. cone biopsy is not done in pregnancy
- c. follow up of the case after delivery
- d.

answer: a .

69q: most common site of lodgement of venous emboli ?

- a. heart
- b. lungs
- c. intestine
- d.

answer:

70q: cysts in PAN are not seen in ?

- a. kidney
- b. lungs
- c. spleen
- d. liver

answer: b . lungs .

71q: Hepatitis C virus is associated with all except ?

- a. cryoglobulinemia
- b. lichen planus
- c. PAN
- d.

answer:

72q: which of the following is the most common contraceptive method in nulliparous women ?

- a. IUCD
- b. minipill
- c. combined OCP
- d.

73q: which of the following used as an emergency contraceptive can be used to maintain on going contraception ?

- a. IUCD
- b. yuzpe regimen
- c. RU 486
- d. morning after pill

answer:

74q: all of the following are used in prophylaxis for DEEP VEIN THROMBOSIS except ?

- a. enoxaparin
- b. aspirin
- c. intermittent pneumatic compression
- d. oxygen chamber

answer:

75q: NADPH is used for ?

answer: lipid synthesis and glutathione reaction .

76q: sphincter contraction is most commonly due to ?

- a. anal fissure
- b. anal fistula
- c. prolapsed haemorrhoids
- d.

answer:

77q: which of the following is the most common cause of rectal bleeding in children ?

answer:

78q: a substance called gusten which helps in taste has which of the following ?

- a. copper
- b. cobalt
- c. magnesium
- d. zinc

answer:

79q: fish is a good source of all except ?

- a. iodine
- b. iron
- c. vitamin A
- d.

answer:

80q: in hospitalised patients all of the following causes hypoglycemia except ?

- a. addison's disease
- b. insulin
- c. sulfonyl ureas
- d. renal failure

answer:

81q: hooked vertebrae are seen in ?

- a. hurler's syndrome
- b. marquio's disease
- c. marfan's syndrome
- d.

answer: marquio's disease . check out this link to suppor this answer .

82q: all of the following causes increased erythropoietin production except ?

- a. lipoma
- b. renal tumors

- c. hepatoma
- d. fibromyoma

answer: a . lipoma .

83q: submucosal glands are seen in all except ?

- a. trachea
- b. oesophagus
- c. stomach
- d. duodenum

answer:

84q: smoking is associated with all except ?

- a. respiratory bronchiolitis
- b. langerhans cell histiocytosis
- c. interstitial lung disease
- d.

answer: b .

85q: after complete atropinization of man , acetyl choline is given to a man , which of the following will u observe ?

- a. first degree heart block
- b. urination and defecation
- c. death due to arrythmias
- d.

answer:

86q: which of the following is false regarding drug of choice ?

- a. strongyloides - ivermectin
- b. diphyllbothrium latum - praziquantel
- c. enterobius - pyrantel pamoate
- d.

answer:

87q: in which of the following infection do you see encysted , hyalinized capsule in the skeletal muscle ?

answer: trichinella .

88q: which of the following is used in the rapid identification of candida ?

- a. germ tube method
- b. culture in solid
- c. culture in liquid
- d. growing in an animal

answer: a . germ tube method .

89q: all of the following are true about barytosis except ?

- a. it involves the lower lobes
- b. it is due to ingestion of barium sulfate
- c. symptoms persist even after stoppage of exposure
- d.

answer:

90q: all are true about colles fracture except ?

- a. dinner fork deformity
- b. posterior dislocation of the fragment
- c. malunion is a common complication
- d. shoulder stiffness is common

answer: d . it is not shoulder stiffness but finger stiffness which is common in colles fracture .

91q: which of the following is not true about tuberculosis in HIV ?

- a. typical chest X ray appearance of tuberculosis
- b. cavitation is less
- c. disseminated
- d.

answer: a. typical chest X ray findings of tuberculosis are not seen in HIV patient .

92q: diagnostic signs of ABPA (allergic broncho pulmonary aspergillosis) are all except ?

- a. pulmonary infiltrates
- b. bronchial asthma
- c. organisms in sputum
- d.

answer:

93q: which of the following is a oncofetal antigen ?

- a. CA - 125
- b. CEA
- c.
- d.

answer:

94q: human placental lactogen (HPL) is produced from ?

- a. syncytiotrophoblast
- b. cytotrophoblast
- c.
- d.

answer:

95q: all of the following develop from endoderm except ?

- a. sertoli cells
- b. follicles of ovary
- c. germ cells
- d. leydig cells

answer:

96q: Question on vaccines from AIIMS paper ?

answer:

97q: which of the following is a goitrogen ?

- a. potato
- b. cauliflower
- c. carrot
- d. brinjal

answer: b . cauliflower .

98q: pyromania is a type of ?

- a. obsession
- b. impulse

- c. delusion
- d. phobia

answer:

99q: weinberg's ligament is the other name of ?

- a. medial palpebral ligament
- b.
- c.
- d.

answer:

100q: escharotomy is done for ?

- a. circumferential full thickness burns
- b. partial thickness burns
- c.
- d.

answer: a.

101q: giving vitamin A in children is a type of ?

- a. primordial prevention
- b. specific protection
- c. secondary prevention
- d. health promotion

answer:

102q: carrier of genetic material ?

- a. DNA cistrons
- b. codons of m RNA
- c. anti codons of t RNA
- d. none

answer: a . DNA cistrons .

103q: incidence is calculated in ?

- a. case control study
- b. cross sectional study
- c. prospective study

d. retrospective study

answer: c . prospective study .

104q: the overall effect of a program on a community is ?

- a. efficiency
- b. effectiveness
- c. impact
- d.

answer:

105q: soemmering's ring is an example of ?

answer: after cataract .

106q which of the following cannot be visualised my PA view of chest X ray ?

- a. posterior mediastinal tumor
- b. middle lobe collapse
- c. lower lobe collapse
- d.

answer: a .

107q: minimal pleural effusion can be best visualised by ?

- a. PA view
- b. AP view
- c. lateral view
- d. lateral decubitus view

answer: d .

108q: most common sinus involved in children ?

- a. ethmoid
- b. maxillary
- c. frontal
- d. sphenoid

answer:

109q: which of the following does not open into middle meatus ?

- a. frontal sinus
- b. ethmoid sinus
- c. sphenoid sinus
- d. maxillary sinus

answer: c . sphenoid sinus .

110q: all are true about nasopharyngeal carcinoma except ?

- a. the most common type is adenocarcinoma
- b. presents with mass in neck
- c. presents with epistaxis
- d. deafness can be a symptom

answer: a .

111q: congenital rubella syndrome is associated with all except ?

- a. blindness
- b. deafness
- c. hutchinson's teeth
- d.

answer: c . hutchinson's teeth is a feature of syphilis .

112q: most common type of hip dislocation is ?

- a. anterior
- b. posterior
- c. central
- d. none

answer: b . posterior .

113q: all are true about posterior dislocation of elbow except ?

- a. increase in antero posterior length
- b. shorness of forearm
- c. intactness of triple bony points
- d. myositis ossificans is a common complication

answer: c .

114q: heterophoria is ?

- a. difference in the images of both eyes

b. latent squint

c.

d.

answer:

115q: nystagmus can be induced by all except ?

a. caloric test

b. optokinetic test

c. patch test

d.

answer:

116q: what is the treatment of choice for absolute glaucoma ?

a. trabeculectomy

b. iridotomy

c.

d.

answer:

117q: what is the treatment of choice for primary peritonitis ?

a. laparotomy with peritoneal toilet

b. laparoscopy with peritoneal lavage

c. conservative management

d.

answer:

118q: disproportionationate growth retardation is seen in all except ?

a. cretinism

b. achondroplasia

c. hypopituitarism

d. rickets

answer: b .

119q: acidity of urine is mostly due to ?

a. amino acids

b. uric acid

- c.
- d.

answer:

120q: glomerular endotheliosis in pregnant women is seen in ?

- a. pre-eclampsia
- b. diabetes
- c.
- d.

answer:

121q: all of the physiological changes occur in pregnancy except ?

- a. increased cardiac output
- b. increased heart rate
- c. increased stroke volume
- d. increased peripheral resistance

answer: d .

122q: all are true about pulsus parvus except ?

- a. seen in aortic stenosis
- b. decreased left ventricular output
- c. decreased peripheral resistance
- d. decreased pulse pressure

answer: c . decreased peripheral resistance .

123q: which of the following test is most sensitive for diabetic nephropathy ?

- a. creatinine clearance
- b. glucose tolerance test
- c. serum creatinine
- d. urine albumin

answer:

124q: increase in radius of resistance vessels causes ?

- a. increase in capillary blood flow
- b. increase in peripheral resistance
- c.

d.

answer:

125q: blood for HLA typing is taken from ?

- a. newborn
- b. adolescent
- c. adult women
- d. adult man

answer:

126q: all of the following are major criteria for toxic shock syndrome except ?

- a. mucosal membranes involved
- b. erythematous lesions all over body
- c. temperature greater than 38.8 degree celsius
- d.

answer:

127q: all of the following are true about aberrant renal vessels except ?

- a.
- b.
- c.
- d.

answer:

128q: the most common cause of ulcers in diabetic foot ?

- a. neuropathic
- b. ischemia
- c. high glucose content
- d.

answer: a . neuropathic .

129q: all of the following are associated with increased cytokines except ?

- a. IFN gamma
- b. IL-5
- c. TNF-BETA
- d. VEGF

answer:

132q: all of the following are true about dengue haemorrhagic fever except ?

- a. leucopenia
- b. relative leucocytosis
- c. thrombocytopenia
- d. decreased hematocrit

answer:

133q: all are true about meniere's disease except ?

- a. deafness , vertigo , tinnitus and vomiting are seen
- b. tympanic membrane normal
- c. inner endolymphatic system normal
- d.

answer: c .

134q: most common cause of hyperparathyroidism ?

- a. parathyroid adenoma
- b. parathyroid hyperplasia
- c. parathyroid carcinoma
- d.

answer: a .

135q: a patient presents with seizures , adenoma sebaceum and mental retardation . what is the diagnosis ?

- a. neurofibromatosis
- b. tuberous sclerosis
- c.
- d.

answer: b . tuberous sclerosis .

136q: amiodarone toxicity causes all except ?

- a. disorders of thyroid function
- b. hypertension
- c. corneal deposits
- d. pulmonary fibrosis

answer:

137q: which of the following is wrongly matched ?

- a. hepatitis B - hepatocellular carcinoma
- b. EBV - nasopharyngeal carcinoma
- c. HSV 1 - carcinoma cervix
- d. HHV 8 - kaposi sarcoma

answer: c .

138q: all of the following are true about minimum alveolar concentration regarding isoflurane except?

- a. decreases with age
- b. decreases in pregnancy
- c. decreases due to acute alcoholism
- d. males have high MAC

answer: d.sex height and weight do not alter MAC.

139q: all of the following are true about postoperative vomiting except ?

- a. more in males than females
- b. more in elderly people
- c. more due to thiopentone than propofol
- d.

answer:

140q:hydrops fetalis is seen in:

- a.parvo virus
- b.beta thallasemia
- c.
- d.

answer:

141: constriction band is seen in all except?

- a.premature application of forceps
- b.oxytocics
- c.intrauterine manipulations
- d.obstructed labour

answer:

142q: diagnostic criteria for severe aplastic anemia ?

- a.platelet count less than 20,000
- b.absolute eosinophil count less than 500
- c.corrected retic count less than 1%
- d.all of the above

answer.d. all of the above. refer harrison page.no.666

143q: all of the following are true about herpis zoster oticus except?

- a.lower motor nerve palsy
- b.purulent labrynthitis
- c.vescicle in the external auditory meatus
- d.redness of cheek

answer:

144q: "LUPUS PERNIO" is a feature of ?

- a.chronic form of sarcoidosis

145q: AINHUM involves ?

- a.toes
- b.fingers
- c.face
- d.abdomen

answer:toes

146q: a feature of baby born to a diabetic mother is:

- a.hypoglycemia
- b.hyponatremia
- c.hyophosphotemia
- d.

answer:a.hypoglycemia .

147q: drug of choice in polyhydromnias is:

- a.furosemide

- b.indomethacin
- c.mesoprostol
- d.

answer:a.indomethacin. refer dutta obstetrics - 6 th editipn 217 .

148q: antoni A and antoni B type of growth seen in?

- a.astrocytoma
- b.schwannoma
- c.meningioma
- d.

answer:b. schwannoma. refer robbins pathology page.no.1352 6th edition .

149q: a patient presents erythematous lesions,comedones,cysts,pustules . what is the probable diagnosis ?

- a. seborrhoea
- b. seborrheic dermatitis
- c. acne vulgaris
- d.

answer:

150q: hydrostatic reduction is done in ?

- a. intussusception
- b. megacolon
- c.
- d.

answer: a . intussusception .

151q: exposing the muscular part of the fallopian tube and resecting it is part of which of the following procedure ?

- a. pomeroy
- b. irving
- c. madlener
- d.

answer:

152q: which of the following is the most unfavourable in cephalic presentation ?

- a. occipito anterior
- b. occipito posterior
- c. face
- d. brow

answer:

153q: all are true about endodermal sinus tumor except ?

- a. schiller duval bodies are seen
- b. it produces AFP
- c. germ cell malignant tumor of ovary
- d. it occurs in older women

answer: d .

154q: lymphangiosarcoma occurs in ?

- a. lymphangioma
- b. lymphangitis
- c. lymphosarcoma
- d. lymphedema

answer: d . lymphedema .

155q: a person has headaches which wake him up . he has nasal congestion and stuffiness . what is the diagnosis ?

- a. migraine
- b. cluster headache
- c. tension headache
- d. none

answer: b . cluster headache .

156q: non typhi salmonellosis in children infection - all are true except ?

- a. gastro colic enteritis
- b. due to consumption of poultry related foods
- c.
- d.

answer:

157q: why is multidrug regimen used in tuberculosis ?

answer: to prevent development of resistance to drugs .

158q: mallory bodies are seen in ?

- a. wilson's disease
- b. primary biliary cirrhosis
- c. alcoholic cirrhosis
- d. all the above

answer: d . all the above .

159q: temperature question in SPM ?

answer:

160q: foldable IOL are made up of ?

- a. PMMA
- b.
- c.
- d. acrylite

answer: d .

161q: what is dysphonia plica ventricularis ?

answer: phonation by false vocal cords .

162q: all of the following are true about kerosene poisoning except ?

- a. gastric lavage is done
- b.
- c.
- d.

answer: a .

163q: all of the following are true about malignant hyperthermia except ?

- a. increased temperature
- b. muscle rigidity
- c. general anaesthesia with non depolarising muscle relaxant
- d.

answer: c .

164q: the primary auditory cortex is located in ?

- a. parietal lobe
- b. temporal lobe
- c.
- d.

answer: b . temporal lobe .

165q: greenish urine with

- a. oxalic acid
- b. carbolic acid
- c.
- d.

answer: b . carbolic acid poisoning .

166q: all are true about congenital torticollis except ?

- a. neck is deviated to the affected side
- b. chin is deviated to the affected side
- c. surgical manipulation may be required
- d.

answer:

167q: antacid which causes constipation ?

- a. magnesium hydroxide
- b. aluminium hydroxide
- c.
- d.

answer:

168q: a patient after undergoing splenectomy are prone to serious infections in ?

- a. less than 4 years
- b. 4 to 12 years
- c. 13 to 30 years
- d. more than 30 years

answer:

169q: most common cause of umbilical discharge in a new born ?

answer: persistent urachus .

170q: cloacal opening is seen mostly in ?

- a. males only
- b. females only
- c. both males and females
- d. intersex

answer:

171q: which of the following most common disorder in children ?

- a. attention deficit hyperactivity disorder
- b. enuresis
- c.
- d.

answer:

172q: in rape , which of the following is the most common position of the tear of hymen ?

- a. 3'o clock position
- b. 5'o clock position
- c. 12'o clock position
- d. 11'0 clock position

answer:

173q: the virus which causes haemorrhagic cystitis ?

- a. parvo virus
- b. adeno virus
- c.
- d.

answer:

174q: which is the ideal gap between two doses of a vaccine ?

- a. 4 weeks
- b. 6 weeks
- c. 8 weeks
- d. 2 weeks

answer: a . 4 weeks .

175q: ratio of upper to lower half of body in a 3 year old child is ?

- a. 1:3
- b. 1:5
- c. 1:8
- d. 1:0

answer: a .1:3

176q: direct mailing is a type of ----?

- a. individual approach
- b. mass approach
- c.
- d.

answer: b . mass approach .

177q: the acyl carrier protein ?

answer: inside the mitochondria .

178q: drug of choice for toxoplasmosis in pregnancy ?

- a. sulfadiazine
- b. pyrimethamine
- c. both a and b
- d. revomycin

answer:

179q: neurotransmitter in the postganglionic sympathetic neurons all except ?

- a. dopamine
- b. acetyl choline
- c. L-DOPA
- d. histamine

answer:

180q: disseminated intravascular coagulation is associated with all except ?

- a. placenta previa
- b. abruptio placenta
- c. intra uterine death
- d. amniotic fluid embolism

answer: a . placenta previa .

181q: which of the following signs is seen in acute laryngotracheobronchitis ?

answer: steeple sign .

182q: all of the following capsules are made up of polysaccharides except ?

- a. klebsiella
- b. anthrax
- c.
- d.

answer: b . anthrax .

183q: all are cycloplegic mydriatics except ?

- a. atropine
- b. homatropine
- c. cyclopentolate
- d. phenylephrine

answer: d . phenylephrine .

184q: what is the cause of different expressivity of warfarin ?

answer: CYP3A4 .

185q: which of the following is true about airway resistance ?

- a. increased in asthma
- b.
- c.
- d.

answer:

186q: most common uterine anomaly ?

- a. unicornuate bicollis
- b. unicornuate unicollis

- c. bicornuate bicollis
- d. bicornuate unicollis

answer: d .

187q: syme's amputation is done in all of the following except ?

- a. diabetic ulcer foot with gangrene
- b. madura foot
- c.
- d.

answer:

188q: dorsal mesogastrium forms which of the following ?

- a. falciform ligament
- b. greater omentum
- c. lesser omentum
- d. ligamentum teres

answer: b . greater omentum .

189q: cystic fibrosis is associated with most commonly ?

- a. meconium ileus
- b. meconium plug formation
- c.
- d.

answer:

190q: long duration of unconsciousness postoperatively is due to ?

- a. thyrotoxicosis
- b. use of volatile anaesthetics
- c. hypothermia
- d. hyperventilation

answer:

191q: treatment of parkinsonism involves ?

- a. balancing dopamine and acetly choline in striatum
- b. increased release of dopamine
- c.

d.

answer:

192q: all are true about nanoxynol-9 except ?

- a. protects completely from STDs
- b. spermicidal
- c.
- d.

answer:

193q: which of the following is the treatment of choice for nulliparous prolapse ?

answer: abdominal sling operations .

194q: abnormal growth is seen in all except ?

- a. cretinism
- b. rickets
- c. osteopetrosis
- d.

answer: d. osteopetrosis .

195q: which of the following is not seen in hypermature cataract ?

- a. retinal detachment
- b. subluxation of lens
- c.
- d.

answer:

196q: palpable seminal vesicle is seen in ?

- a. acute prostatitis
- b. chronic prostatitis
- c. prostatic carcinoma
- d. urogenital tuberculosis

answer:

197q: gas shadow in stomach is not seen in ?

- a. pure esophageal atresia
- b. esophageal atresia with proximal opening
- c. esophageal atresia with distal opening
- d. h shaped tracheoesophageal fistula

answer: a. pure esophageal atresia

198q: i think there was a question on neurasthenia . if any one has idea about that please post in comments .

199q: neurotransmitters at the peripheral nervous system are all except ?

- a. acetyl choline
- b. adrenaline
- c. histamine
- d. L dopa

answer: c . histamine .